

HOLIDAY PARKS



PolinWaterparks

THE EXPERIENCE

7 SINGLE SLIDE OPTIONS

- 8 MINI SLIDE - 1MNC5
- 9 MIDI SLIDE - 1MCDR, 1MDC5, 1MDAS
- 10 MAXI SLIDE - 1MXCS
- 11 GIGA SLIDE - 1GGTBSS

13 DOUBLE SLIDE OPTIONS

- 14 MINI SLIDE - 2MNCWS, 2MNCWR
- 15 MIDI SLIDE - 2MDBWS, 2MDCTFS, 2MDCAS
- 16 MAXI SLIDE - 2MXTFBR
- 17 GIGA SLIDE - 2MGCAR

19 TRIPLE SLIDE OPTIONS

- 20 MINI SLIDE - 3MNTFWCS, 3MNTFWCR
- 21 MIDI SLIDE - 3MDCWTFS
- 22 MIDI SLIDE - 3MDCWTFR
- 23 MAXI SLIDE - 3MXFBTWS
- 24 MAXI SLIDE - 3MXFBTWR
- 25 MEGA SLIDE - 3MGATFCR
- 26 GIGA SLIDE - 3GGTFTBCR

29 PLAY STRUCTURE OPTIONS

- 32 AQUATOWER TYPE-A02
- 33 AQUATOWER TYPE-B06
- 34 AQUATOWER TYPE-B09 PIRATES OF THE OCEAN THEMED

36 THEMING OPTIONS

38 SPRAY ACTION OPTIONS

42 REFERENCES



SLIDE RULES

- No running
- No pushing
- No horseplay
- No alcohol
- No smoking
- No glass
- No shoes
- No jewelry
- No contact lenses
- No contact dials
- No contact lenses
- No contact lenses

SINGLE SLIDE OPTIONS

MINI SLIDE

1MNCS



| TECH SPECS | |
|------------------------|-------------------------|
| HEIGHT | 2.85 m |
| LENGTH | 16.23 m |
| DEPTH | 600 mm |
| WIDTH | 900 mm |
| SLOPE | 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 - 240 |
| REQUIRED AREA | 10 x 5 m |
| FLOW RATE | 90 - 120 m ³ |

MIDI SLIDE

1MCDR - 1MDCS - 1MDAS



| TECH SPECS | |
|------------------------|-------------------------|
| HEIGHT | 4.50 m |
| LENGTH | 29.29 m + 9 m Run-out |
| DEPTH | 600 mm |
| WIDTH | 900 mm |
| SLOPE | 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 - 240 |
| REQUIRED AREA | 19 x 4 m |
| FLOW RATE | 90 - 120 m ³ |



| TECH SPECS | |
|------------------------|-------------------------|
| HEIGHT | 4.50 m |
| LENGTH | 25.07 m |
| DEPTH | 600 mm |
| WIDTH | 900 mm |
| SLOPE | 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 - 240 |
| REQUIRED AREA | 9 x 4 m |
| FLOW RATE | 90 - 120 m ³ |



| TECH SPECS | |
|------------------------|-------------------------|
| HEIGHT | 4.70 m |
| LENGTH | 24.10 m |
| DEPTH | 825 mm |
| WIDTH | 825 mm |
| SLOPE | 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 - 240 |
| REQUIRED AREA | 5.5 x 5.5 m |
| FLOW RATE | 90 - 120 m ³ |

MAXI SLIDE

1MXCS



| TECH SPECS | |
|------------------------|-------------------------|
| HEIGHT | 6.10 m |
| LENGTH | 34.21 m |
| DEPTH | 600 mm |
| WIDTH | 900 mm |
| SLOPE | 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 - 240 |
| REQUIRED AREA | 13 x 11 m |
| FLOW RATE | 90 - 120 m ³ |

GIGA SLIDE

1GGTBBS



| TECH SPECS | |
|------------------------|-------------------------|
| HEIGHT | 10 m |
| LENGTH | 77.27 m + 9.82 Run-out |
| DEPTH | 1200 mm |
| WIDTH | 700 mm |
| SLOPE | 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 - 240 |
| REQUIRED AREA | 38 x 12 m |
| FLOW RATE | 90 - 120 m ³ |



DOUBLE SLIDE OPTIONS

MINI SLIDE

2MNCWS - 2MNCWR



| TECH SPECS | |
|------------------------|--|
| HEIGHT | 2.95 m |
| LENGTH | 25.03 m / 10.56 m |
| DEPTH | 600 mm / 500 mm |
| WIDTH | 900 mm / 2000 mm |
| SLOPE | 10 - 14% / 20 - 40% |
| MAX. CAPACITY PER HOUR | 180 - 240 / 240 - 360 |
| REQUIRED AREA | 13 x 11 m |
| FLOW RATE | 90 - 120 m ³ / 60 - 90 m ³ |



| TECH SPECS | |
|------------------------|--|
| HEIGHT | 3.20 m |
| LENGTH | 24.03 m / 10.56 m 10.86 m 6.20 m Run-out 27.84 m 6.80 m Run-out |
| DEPTH | 600 mm / 500 mm |
| WIDTH | 900 mm / 2000 mm |
| SLOPE | 10 - 14% / 20 - 40% |
| MAX. CAPACITY PER HOUR | 180 - 240 / 240 - 360 |
| REQUIRED AREA | 13 x 11 m |
| FLOW RATE | 90 - 120 m ³ / 60 - 90 m ³ |

MIDI SLIDE

2MDBWS - 2MDCTFS - 2MDCAS



| TECH SPECS | |
|------------------------|-----------------------------------|
| HEIGHT | 4.50 m |
| LENGTH | 32.25 / 13.72 m |
| DEPTH | 700 / 500 mm |
| WIDTH | 1000 / 2000 mm |
| SLOPE | 10 - 14 / 20 - 40% |
| MAX. CAPACITY PER HOUR | 180 - 240 / 240 - 360 |
| REQUIRED AREA | 16 x 9 m |
| FLOW RATE | 90 - 120 / 60 - 90 m ³ |



| TECH SPECS | |
|------------------------|------------------------------|
| HEIGHT | 5.10 m |
| LENGTH | 29.43 / 14.80 m |
| DEPTH | 600 / 825 mm |
| WIDTH | 900 / 825 mm |
| SLOPE | 10 - 14 / 20 - 40% |
| MAX. CAPACITY PER HOUR | 180 - 240 / 180 |
| REQUIRED AREA | 15 x 9 m |
| FLOW RATE | 90 - 120 / 90 m ³ |



| TECH SPECS | |
|------------------------|------------------------------------|
| HEIGHT | 4.40 m |
| LENGTH | 25.43 / 24.98 m |
| DEPTH | 600 / 825 mm |
| WIDTH | 900 / 825 mm |
| SLOPE | 10 - 14 / 20 - 40% |
| MAX. CAPACITY PER HOUR | 180 - 240 / 180 - 240 |
| REQUIRED AREA | 10 x 7 m |
| FLOW RATE | 90 - 120 / 90 - 120 m ³ |

MAXI SLIDE

2MXTFBR



| TECH SPECS | |
|---------------------------|---|
| HEIGHT | 6.90 m |
| LENGTH | 19.11 m + 13.81 m Runout / 51.82 m + 8.81 m Run-out |
| DEPTH | 700 / 700 mm |
| WIDTH | 1000 / 1000 mm |
| SLOPE | 20 - 40% / 10 - 14% |
| MAX. CAPACITY PER HOUR | 180 / 180 - 240 |
| REQUIRED AREA | 34 x 14 m |
| FLOW RATE | 90 m ³ / 90 - 120 m ³ |

GIGA SLIDE

2MGCAR



| TECH SPECS | |
|---------------------------|---|
| HEIGHT | 7.92 m |
| LENGTH | 51.07 m + 10.32 m Runout / 67.54 m + 7.82 m Run-out |
| DEPTH | 700 / 500 mm |
| WIDTH | 1000 / 2000 mm |
| SLOPE | 10 - 14% / 20 - 40% |
| MAX. CAPACITY PER HOUR | 180 - 240 / 240 - 360 |
| REQUIRED AREA | 28 x 12 m |
| FLOW RATE | 90 - 120 m ³ / 60 - 90 |



TRIPLE SLIDE OPTIONS

MINI SLIDE

3MNTFWCS - 3MNTFWCR




| TECH SPECS | | | |
|---------------|-------------------------|-------------------------------|--|
| HEIGHT | 2.95 m | SLOPE | 20 - 40% / 20 - 40% / 10 - 14% |
| LENGTH | 11.37 / 10.59 / 24.36 m | MAX. CAPACITY PER HOUR | 180 / 240 - 360 / 180 - 240 |
| DEPTH | 825 / 500 / 600 mm | REQUIRED AREA | 13 x 13 m |
| WIDTH | 825 / 3000 / 900 mm | FLOW RATE | 90 / 60 - 90 / 90 - 120 m ³ |



| TECH SPECS | | | |
|---------------|---|-------------------------------|--|
| HEIGHT | 2.95 m | SLOPE | 20 - 40% / 20 - 40% / 10 - 14% |
| LENGTH | 9.72 + 8.82 Run-out / 10.64 + 8.24 Run-out / 23.53 - 5.83 Run-out | MAX. CAPACITY PER HOUR | 180 / 240 - 360 / 180 - 240 |
| DEPTH | 825 / 500 / 600 mm | REQUIRED AREA | 20 x 13 m |
| WIDTH | 825 / 3000 / 900 mm | FLOW RATE | 90 / 60 - 90 / 90 - 120 m ³ |

MIDI SLIDE

3MDCWTFS



| TECH SPECS | | | |
|---------------|-------------------------|-------------------------------|--|
| HEIGHT | 4.55 m | SLOPE | 20 - 40% / 20 - 40% / 10 - 14% |
| LENGTH | 13.83 / 13.28 / 35.70 m | MAX. CAPACITY PER HOUR | 180 / 240 - 360 / 180 - 240 |
| DEPTH | 825 / 500 / 600 mm | REQUIRED AREA | 15 x 13 m |
| WIDTH | 825 / 2000 / 900 mm | FLOW RATE | 90 / 60 - 90 / 90 - 120 m ³ |

MIDI SLIDE

3MDCWTFR



| TECH SPECS | | | |
|---------------|--|-------------------------------|--|
| HEIGHT | 4.50 m | SLOPE | 20 - 40% / 20 - 40% / 10 - 14% |
| LENGTH | 12.90 + 10.33 Run-out / 12.79 + 10.74 Run-out / 36.98 + 5.80 m | MAX. CAPACITY PER HOUR | 180 / 240 - 360 / 180 - 240 |
| DEPTH | 825 / 500 / 600 mm | REQUIRED AREA | 27 x 13 m |
| WIDTH | 825 / 2000 / 900 mm | FLOW RATE | 90 / 60 - 90 / 90 - 120 m ³ |

MAXI SLIDE

3MXFBTWS



| TECH SPECS | | | |
|---------------|-------------------------|-------------------------------|--|
| HEIGHT | 4.14/6.48 m | SLOPE | 20 - 40% / 10 - 14% / 20 - 40% |
| LENGTH | 15.74 / 50.16 / 17.44 m | MAX. CAPACITY PER HOUR | 240 / 360 - 180 / 240 - 180 |
| DEPTH | 500 / 700 / 700 mm | REQUIRED AREA | 19 x 14 m |
| WIDTH | 2250 / 1000 / 1000 mm | FLOW RATE | 60 / 90 - 90 / 120 - 90 m ³ |

MAXI SLIDE

3MXFBTWR



| TECH SPECS | | | |
|---------------|--|-------------------------------|--|
| HEIGHT | 6.60 m | SLOPE | 20 - 40% / 20 - 40% / 10 - 14% |
| LENGTH | 16.50 + 13.24 m Run-out / 52.54 + 6.83 m Run-out / 17.06 + 13.32 m | MAX. CAPACITY PER HOUR | 180 / 240 - 360 / 180 - 240 |
| DEPTH | 700 / 500 / 700 mm | REQUIRED AREA | 32 x 14 m |
| WIDTH | 1000 / 2000 / 1000 mm | FLOW RATE | 90 / 60 - 90 / 90 - 120 m ³ |

MEGA SLIDE

3MGATFCR



| TECH SPECS | | | |
|---------------|---|-------------------------------|---|
| HEIGHT | 8.00 / 5.00 m | SLOPE | 20 - 40% / 10 - 14% / 10 - 14% |
| LENGTH | 19.83 + 14.80 Run-out / 56.69 + 9.80 Run-out / 41.93 + 6.80 m | MAX. CAPACITY PER HOUR | 180 / 180 - 240 / 180 - 240 |
| DEPTH | 825 / 825 / 600 mm | REQUIRED AREA | 27 x 40 m |
| WIDTH | 825 / 825 / 900 mm | FLOW RATE | 90 / 90 - 120 / 90 - 120 m ³ |

GIGA SLIDE

3GGTFTBCR



| TECH SPECS | | | |
|---------------|--|-------------------------------|---|
| HEIGHT | 10.0 m | SLOPE | 20 - 40% / 10 - 14% / 10 - 14% |
| LENGTH | 21.45 + 16.82 Run-out / 72.20 + 10.82 Run-out / 83.11 + 8.33 m | MAX. CAPACITY PER HOUR | 180 / 180 - 240 / 180 - 240 |
| DEPTH | 825 / 1200 / 600 mm | REQUIRED AREA | 14 x 46 m |
| WIDTH | 825 / 1200 / 900 mm | FLOW RATE | 90 / 90 - 120 / 90 - 120 m ³ |





PLAY STRUCTURE OPTIONS

B6 SERIES




C10 SERIES



B9 SERIES



A1 SERIES



AQUATOWER TYPE

A02 - STANDARD THEME



| TECH SPECS | |
|-----------------------------|--------------------|
| DIMENSIONS | 14.8 x 10.62 m |
| HEIGHT | 6.70 m |
| POOL AREA (m ²) | 174 m ² |
| FLOW RATE | 100 m ³ |

AQUATOWER TYPE

B06 - STANDARD THEME



AQUATOWER TYPE

B06 - PARADISE ISLAND THEMED



| TECH SPECS | |
|----------------------------------|--------------------|
| DIMENSIONS | 24.00 x 19.41 m |
| HEIGHT | 10.80 m |
| POOL AREA (m²) | 475 m ² |
| FLOW RATE | 390 m ³ |

AQUATOWER TYPE

B09 - PIRATES OF THE OCEAN THEMED



| TECH SPECS | |
|----------------------------------|--------------------|
| DIMENSIONS | 30.95 x 25.95 m |
| HEIGHT | 12.30 m |
| POOL AREA (m²) | 722 m ² |
| FLOW RATE | 570 m ³ |

THEMING OPTIONS



A01 PARADISE ISLAND



A02 UNDERWATER




Z03 UNDERWATER



A01 UNDERWATER



Z03 PARADISE ISLAND



Z01 PIRATE



B03 DINO

SPRAY ACTION



SPRAY ACTION



REFERENCES

*All waterslides are manufactured by Polin Waterparks.



Big 4 Gold Coast Holiday Park, QLD



Big 4 Tweed Billabong Holiday Park, NSW



Big 4 Nambucca, NSW



The Big Banana Fun Park, NSW



Big 4 MacDonnell Range Holiday Park, NT



Big 4 Cania Gorge Caravan Tourist Park, QLD



Nobby Beach Holiday Village, QLD



Marion Swimming Centre, SA



Big 4 Capricorn Palms Holiday Village, QLD



Big 4 Rivershore Resort, QLD



Nowra Aquatic Centre, NSW



Casino Olympic Pool & Gymnasium, NSW



T +90 262 656 64 67 F +90 262 656 64 75 M +90 543 686 58 92 Gebkim OSB Refik Baydur 6 41480 Dilovasi / Kocaeli, TURKEY

polin@polin.com.tr

polin.com.tr      [polinwaterparks](https://www.polinwaterparks.com)